

The background features a large, stylized number '3' in a vibrant red color. The number is filled with a dense pattern of small red dots, creating a digital or particle-like effect. The '3' is set against a solid black background. On the left side, there is a red rectangular box containing the word 'aprilia' in white lowercase letters, followed by a registered trademark symbol. Below this box is the 'RS' logo in a bold, red, italicized font. At the bottom left, the text '2024 RANGE' is written in a white, italicized, sans-serif font.

aprilia®

RS

**2024
RANGE**

APRILIA UNLEASHES SUPERBIKE SYMPHONY IN INDIA

Hold onto your helmets, India! Aprilia just revved the engines of a superbike revolution, launching its entire high-performance lineup.

This isn't just a new chapter for Aprilia in India – it's a full-blown superbike symphony. Gone are the days of limited options. Aprilia is offering a complete orchestra of machines, each catering to a distinct riding desire. From the track scorching RSV4 Factory to the versatile Tuareg 660, every enthusiast can find their perfect match. All these superbikes, available as CBUs through Aprilia Motoplex dealerships nationwide, bring the legendary Aprilia spirit to India – a spirit that blends cutting-edge technology with captivating design and a relentless pursuit of adrenaline-pumping performance.

[*Learn More*](#)

[*DOWNLOAD THE BROCHURE*](#)

RSV4 FACTORY

RS 660

TUONO 660

TUAREG 660



The definitive Superbike

The RSV4 is much more than a pair of wheels and a powerful engine. The culmination of an ambitious project undertaken by the Aprilia Racing Division and adopting the very best available technology, it features integrated aerodynamic winglets and improved aerodynamic efficiency. This is a true masterpiece that is destined to send your pulse racing the moment you set your eyes on it and will have you whooping with exhilaration every time you touch the throttle.


[**Learn More**](#)

FAQS


1. How to book?

- Visit the page of the model you are interested in and click on enquire now, our dealership will get in touch with you. 

2. Is it available in my city?

- All these superbikes are available as CBUs through Aprilia Motoplex dealerships nationwide. Our Motoplexes are currently available in the following cities - Mumbai, Jaipur, Hyderabad, Chandigarh, Pune, Vishakhapatnam, Surat, Chennai, Bengaluru & Delhi 

3. How many days will it take for delivery?

- It will take about 90 days after placing an order for your motorcycle to deliver* 

	RSV4 FACTORY	RS 660	TUONO 660	TUAREG 660
Engine				
Type	65° longitudinal V4, 4 valves per cylinder, liquid-cooled with Ride-By-Wire	2 parallel forward facing cylinders, 4 valves per cylinder, liquid-cooled with Ride-By-Wire	2 parallel forward facing cylinders, 4 valves per cylinder, liquid-cooled with Ride-By-Wire	2 parallel forward facing cylinders, 4 valves per cylinder, liquid-cooled with Ride-By-Wire
Displacement	1,099 cc	659 cc	659 cm ³	659 cm ³
Bore and stroke	81 x 53.32 mm	81 x 63.93 mm	81 x 63.93	81 x 63.93 mm
Max. power	217 HP (159.5 kW) at 13,000 rpm	100 HP (73.5 kW) at 10,500 rpm	95 HP (70 kW) at 10,500 rpm	80 HP (59 kW) at 9,250 rpm
Max. torque	125 Nm at 10,500 rpm	67 Nm at 8,500 rpm	67 Nm at 8,500 rpm	70 Nm at 6,500 rpm
Clutch	Multiplate wet clutch with slipper system	Multiplate wet clutch with slipper system	Multiplate wet clutch with slipper system	Multiplate wet clutch with slipper system
Gearbox	6 gears	6 gears	6 gears	6 gears
Chassis				
Frame	Dual beam aluminium frame	Dual beam aluminium frame	Dual beam aluminium frame	Frame in steel tubing and aluminium plates
Front suspension	Öhlins electronically controlled fork, 43 mm upside-down stanchions with TiN treatment, fully adjustable, 125 mm travel	Kayaba 41 mm upside-down fork, adjustable in rebound and preload, 120 mm travel	Kayaba 41 mm upside-down fork, adjustable in rebound and preload, 110 mm travel	Kayaba 43mm upside-down fork, fully adjustable, 240mm travel
Rear suspension	Öhlins electronically controlled monoshock, fully adjustable, 115 mm wheel travel	Kayaba monoshock, adjustable in rebound and preload, 130 mm wheel travel	Kayaba monoshock, adjustable in rebound and preload, 130 mm wheel travel	Kayaba monoshock, fully adjustable, 240 mm wheel travel
Front brake	Double 330 mm floating disc Brembo Stylema® monoblock radial callipers with four pistons	Double 320 mm floating disc Brembo radial callipers with 4 pistons	Double 320 mm floating disc Brembo radial callipers with 4 pistons	Double 300 mm floating disc Brembo floating callipers with 4 pistons
Rear brake	220 mm disc Brembo 2-piston callipers	220 mm disc Brembo 2-piston callipers	220 mm disc Brembo 2-piston callipers	260 mm disc. Brembo single piston calliper
Front wheel	17" x 3.5" Forged aluminium alloy rim, 5 split spokes	17" x 3.5" Aluminium alloy rim	17" x 3.5" Aluminium alloy rim	Spoke rim with aluminium alloy drop centre, 21"x 2.15
Rear wheel	17" x 6" Forged aluminium alloy rim, 5 split spokes	17" x 5.5" Aluminium alloy rim	17" x 5.5" Aluminium alloy rim	Spoke rim with aluminium alloy drop centre, 18"x 4.25"
Dimensions & Weights				
Seat height	851 mm	820 mm	820 mm	860 mm
Fuel tank capacity	17,9 litres	15 litres	15 litres	18 litres
Wet weight*	202 Kg	183 kg	183 kg	204 kg
Std. Features				
Standard Features	LED headlight unit with DRL and Bending Lights function. APRC system with 6-axis inertial platform: Engine Maps (AEM), engine brake (AEB), Cornering ABS (3 maps and Rear Wheel Lift-up Mitigation), Traction Control (ATC), Wheelie Control (AWC), Launch Control (ALC), Speed Limiter (APT), 6 riding modes. Cruise Control (ACC). Aprilia Quick Shift (AQS). 5" TFT instrument panel. Sachs steering damper, Metal braided brake hoses	LED headlight unit with DRL and Bending Lights function. APRC system with 6-axis inertial platform: Engine Maps (AEM), engine brake (AEB), Cornering ABS (3 maps and Rear Wheel Lift-up Mitigation), Traction Control (ATC), Wheelie Control (AWC), 5 riding modes. Cruise Control (ACC). Aprilia Quick Shift (AQS). 4.3" TFT instrument panel. Metal braided brake hoses	LED headlight assembly with DRL. Engine maps (AEM), engine brake (AEB), dual-channel ABS with anti roll-over system , traction control (ATC), Wheelie Control (AWC), 5 riding modes. Cruise Control (ACC). 4.3" TFT instrument panel. Metal braided brake hoses	LED headlight assembly with DRL. Engine maps (AEM), engine brake (AEB), dual-channel ABS with anti roll-over system (3 maps), traction control (ATC), 4 riding modes. Cruise Control (ACC). 5" TFT instrument panel. Metal braided brake hoses

*In compliance with the VO (EU) 168/2013 standards, with all operating fluids, with standard equipment and fuel tank filled to 90% capacity

SERVICES

- 6 Paid services for effective maintenance of your vehicle.
- Service intervals : 1000 kms, 10000 kms, 20000 kms, 30000 kms, 40000 kms and 50000 km
- Comprehensive OE warranty of 2 Years or 20,000 kms whichever is earlier.

-
- Coverage of repair costs for faults due to manufacturing of assembly defects of parts.
 - Replacement of any damaged parts with OE spare parts, labour included.
 - Specialized service assistance by Piaggio's Motoplex.

The company reserves the right to make technical and aesthetic changes at any time. Full information on models and accessories is available at www.aprilia.com Ride carefully, always wearing a helmet and suitable gear. Always comply with the rules of the road and respect the environment. Read the operating and maintenance manual carefully. Always ask for original and approved spare parts in accordance with current legislation. Visit an Official Aprilia Dealership or Authorised Retailer for a secure purchase and guaranteed service support.

COMPANY WITH
ENVIRONMENTAL SYSTEM
CERTIFIED BY DNV
= ISO 14001 =

COMPANY WITH
QUALITY SYSTEM
CERTIFIED BY DNV
= ISO 9001 =

COMPANY WITH
SAFETY SYSTEM
CERTIFIED BY DNV
= OHSAS 18001 =

Aprilia is a registered trademark of
Piaggio & C. S.p.A.